

The new and improved

ionnic

Minebars





JONNIC



Engineered to Last

Designed and manufactured in Australia, the IONNIC range of Minebars & ROPS bars, are built using the highest quality materials and workmanship.

With 16 configurations available the range is engineered with durability and ease of installation as their primary focus and each is thoroughly tested before being despatched to the customer.



Extruded Aluminium Bar

The new IONNIC Minebar is more easily customised, adaptable and user friendly than ever before.


Drawing on over a decade's experience in manufacturing and supplying Minebars, the new IONNIC Minebar range has been redesigned from the ground up.

With a new dedicated aluminium extrusion and a range of universal and vehicle specific mounting options and accessories IONNIC have created a total Minebar system allowing users to customise each bar to suit their individual requirements.

Manufactured here in Australia for local conditions.



Stepped edge allows for the use of Rhino-Rack® mounting kits.



Mounting channel runs entire length of bar allowing virtually unlimited mounting options.



Minebars

Minebars

86

ROPS Bars

91

Minebars

Minebars

NEW



- Featuring all premium products including the IONNIC 103 LED beacon, Nordic CANIS GO 410 worklamp and the Brigade tonal and bbs-tek® reversing alarms.
- Designed and manufactured in Australia from high quality components.
- Models also available with forward facing turn signal LEDs.
- All minebars equipped with ADR approved IONNIC LED combination lamps – stop, tail, indicator & reverse lamps.
- Extruded aluminium bar providing greater strength and adaptability.
- Stepped edge allows for the use of Rhino-Rack® mounting kits.
- Multi-voltage.



Voltage : 12–24V
 Bar : Anodised Aluminium
 Harness Length : 4m

Built around IONNIC's proven anodised minebar platform, the new IONNIC low profile minebar range is exclusively designed and manufactured in Australia and built using only quality components from trusted manufacturers.

Configurations are available with Nordic worklamps, Brigade tonal or bbs-tek reversing alarms, IONNIC LED beacons, Micro-bars and combination lamps.

21003AF & 21005AF feature forward turn signal LEDs



SAE Class 1 rated output IONNIC 103 LED Beacon



bbs-tek® white sound or tonal reversing alarms

Nordic CANIS GO 410 LED Worklamp



ADR approved IONNIC LED combination lamps – stop, tail, indicator & reverse lamps




Nordic CANIS GO 410 Worklamp
 Tough, compact with powerful light output. Cast alloy body with IP68 environmental protection.
 For more info visit www.ionnic.com or contact your nearest reseller.

IONNIC 103 LED Beacon
 SAE class1 rated output, IP67, low current draw, low profile and highly durable.
 See page for 16 more details.

Brigade – bbs-tek® White Sound or Tonal Reversing Alarms
 Environmentally sealed to IP68 with the option of bbs-tek white sound (shh shh shh) or tonal (bleep bleep bleep).
 For more info visit www.ionnic.com or contact your nearest reseller.

IONNIC Combination Slimline Lamps
 Stop, tail and reverse LED lighting. Durable, IP67, ADR approved.
 Forward facing turn signal LED lamps also available on select minebars.
 For more info visit www.ionnic.com or contact your nearest reseller.

Minebar Core Range Options:



Minebars



21003A, 21003AF, 21003B



21005A, 21005AF, 21005B

Fig 1





Fig 2



Minebars – 1275mm NEW



Part No.	Alarm Type	Sound Level – dB(A) @1m	Forward Facing Turn Signal LEDs	Worklamps	Fig
21003A	Tonal	97	—	—	1
21003AF	Tonal	97	•	—	1
21003B	bbs-tek	92	—	—	1
21005A	Tonal	97	—	•	2
21005AF	Tonal	97	•	•	2
21005B	bbs-tek	92	—	•	2



31003A



31005A




Minebars – 1500mm NEW



Part No.	Alarm Type	Sound Level – dB(A) @1m	Worklamps
31003A	Tonal	97	—
31005A	Tonal	97	•



1103A








1104A



Minebars – 750mm NEW

Part No.	Alarm Type	Sound Level – dB(A) @1m	Mount Type
1103A	Tonal	97	2 Bolt
1104A	Tonal	97	Magnetic

Magnetic version requires fitment of user supplied trailer plug assembly.



20003A



20006A



22003A

Minebars – 1275mm – Specials NEW

Part No.	Voltage	Beacon Type	Alarm Type	Sound Level – dB(A) @1m
20003A	12	Halogen Rotating	Tonal	97
20006A	12-24	LED Rotating	Tonal	97
22003A	12-24	IONNIC LED Micro-Bar	Tonal	97

24V of the 20003A available upon request, lead times apply.



Minebars



905A09



905A13



905A14



905FB

Mounting Kits

Part No.	Description	Suits	
		1275mm Minebars	1500mm Minebars
905A09	Universal bolt-down mounts	•	•
905A13	Suits Toyota Prado with genuine roof rails	•	—
905A14	Suits Toyota Prado without roof rails & 200 Series Landcruiser	•	—
905FB	Accessory mount. Ideal for aerials, flags etc. Ø 12.5mm mounting hole	•	•

Not suitable for use with 750mm minebars.

- Designed and manufactured in Australia.
- Conforms to road registration lighting requirements.
- Quick and easy installation clamps to ROPS.
- Halogen Rotator or LED Beacon models.
- ADR compliant LED lamps front & rear.
- Available with bbs-tek® white sound reversing alarm.
- 4m Schlemmer protected harness with Deutsch connector.
- Supplied with mounting kit.




50001A

Beacon Lens : Polycarbonate
 Light Source : Beacon Halogen/LED
 Stop/Tail/Indicators LED
 Reversing Alarm Output : 87dB
 Bar : Powder Coated Aluminium
 Harness : 4m



50002

bbs-tek® white sound reversing alarm on 50001A




Roll Over Protection System Bar



Typical Installation showing bar clamped to ROPS.

ROPS Bars

Part No.	Voltage	Beacon Type	Alarm
50001	12	Halogen Rotating	—
50001A	12	Halogen Rotating	•
50002 	12-24	IONNIC 106 LED	—

