

Nordic Heavy Duty HID



Nordic Heavy Duty HID



N45 HID 44





Nordic Heavy Duty HID

N445 HID



- High output 45W ballast produces 60% more light compared to standard ballasts.
- Heavy duty Xenon discharge bulb.
- Low current draw.
- Over voltage, over temperature, spike & polarity protected.
- Heavy duty anti-vibration mounting system.
- Free-Form optics for superior light dispersion.
- Replaceable lens.
- Rotate lens for pendant mount.
- Environmentally sealed cast alloy body.
- Breather filter protects against water and dust ingress.
- Ballast encapsulated in body.
- TE DEUTSCH compatible connector encapsulated in body.


Voltage :	12V
Start Up :	8A
Current Draw :	3A
Ballast :	45W Integrated
Connector :	DT Style – 2 Pin
Mount :	Single Bolt M10
Shock :	50G
Vibration :	20G rms 24–2000Hz
Lens :	Hardened Glass
Body :	Aluminium
Weight :	1.2kg
Ingress Protection :	IP68, IP6K9K
Salt Mist :	ISO 9227
EMC :	ISO 13766
Operating Temperature :	-40°C to 85°C
Colour Temperature :	4250K
Tube :	35W D1S



Nordic Heavy Duty HID


N45 HID – Flood

Part No. Voltage
990-058 12



N45 HID – Wide Flood

Part No. Voltage
990-054 12



N45 HID – High Beam (Spot)

Part No. Voltage
990-059 12

